

# Index

Page numbers in *italics* refer to figures; page numbers in **bold** refer to tables/boxes

- adamantanes  
  cucurbit[*n*]uril 130–133, *133*  
  cyclodextrin-based supramolecular systems 230, 233,  
    235–236, *236*  
  molecular clips 280  
  zinc(II)-macrocyclic polyamine supramolecular  
    cages 436
- adamantines *140*
- adenosine diphosphate (ADP) 74
- adenosine triphosphate (ATP) 74
- adiponitrile (ADI) linkers 204–205, *205*
- ADP *see* adenosine diphosphate
- AF *see* allyl fluorescein
- aggregation-induced emission (AIE) 355
- aldolase model 419–420
- aldol synthesis catalyst 419–420
- alizarin complexone (AC) 93, 95, 98
- allosteric effects 353–355, *354*
- allylcatechol 273–274, *275*
- allyl fluorescein (AF) 114
- $\alpha$ -chiral cyclohexanones 103–104
- $\alpha$ -chiral primary amines 103–104
- $\alpha$ -helix mimetics  
   $\alpha$ -helix bundles 156, *157*  
  benzamide *153*  
  benzoylurea *153*, 154  
  enaminone *153*, 154  
  next-generation 153–154, *153*  
  oligoarylamides *153*, 154, 156, *157*  
  terphenyls 152–153, *152*
- amino acids 101, *102*
- amphiphiles  
  crown ethers 350, *350*  
  lariat ethers 363–365, 370–373  
  membrane-active amphiphiles 371–373, *371*, *372*  
  peptide-based synthetic ion channels 370–371, *370*
- analytical chemistry *see* supramolecular analytical  
  chemistry
- Anderson, Harry 292–294
- anion affinity of carbonic anhydrase model 417–418
- anion channels 370–371, *370*
- anion recognition and sensing  
  electrochemical molecular recognition 42–44  
  halogen-bonding anion recognition 55–59  
  interlocked host structures 45–55  
  macrocyclic and interlocked hosts 44–55  
  rotaxane and catenane host structures for sensing  
    anions 48–55  
  transition metal bipyridyl-based macrocyclic  
    receptors 44–45, *45*  
  zinc(II)-macrocyclic polyamines 422–424
- ANN *see* artificial neural networks
- antibiotics 148
- apoptosis sensor 418–419
- Arabidopsis thaliana* 373
- aromatic stacking 147–148, *148*
- artificial neural networks (ANN) 96, 97, **97**, 101
- artificial polymerases 228
- ATP *see* adenosine triphosphate
- AT-rich TATA box DNA 430

- azacrown ethers  
 electrochemical molecular recognition 39–41, 40  
 molecular clips 267–268, 272–274, 273
- azacyclams 187–193  
 crystal and molecular structure 189–190, 189, 190  
 dansylamide as molecular padlock 190–192, 191  
 d–d absorption band 189, 189  
 redox switches of fluorescence 190–192, 190  
 synthesis and development 187–188, 188  
 tosylamide as locking fragment 188, 188
- azobenzene-integrated surfactants 349, 350
- Bacillus subtilis* 371–372
- barbiturates 147, 147, 434–435
- BCA *see* bovine carbonic anhydrase
- BDC *see* 1,4-benzenedicarboxylate
- Beeren, Sophie 299
- 1,4-benzenedicarboxylate (BDC) 210, 212
- benzil 250–251
- benzylic amide catenanes 242–243
- $\beta$ -1,3-glucans 356, 356, 357
- $\beta$ -lactamase model 426
- $\beta$ -meander 156, 156
- $\beta$ -sheet templation 154–155  
 diphenylalkynes 154, 155
- $\beta$ -strand mimicry 154–155  
 diphenylacetylenes 154, 155  
 pyridyl-urea oligomers 154, 155
- bibrachial lariat ethers 365, 366
- bicyclams 194–195
- bilayer membranes 367–368
- bimetallic core@shell nanoparticles 55, 55
- BINAP complexes 103
- biomimetic receptors  
 $\alpha$ -helix bundles 156, 157  
 aromatic stacking 147–148, 148  
 $\beta$ -meander 156, 156  
 $\beta$ -sheet templation 154, 155  
 $\beta$ -strand mimicry 154, 155
- binding multiple sites through multivalent receptors 157, 158
- biological systems 146
- carboxylic acid binding 149–150, 150
- complex systems 149–152
- hydrogen bonding 147, 147
- minimalist vancomycin analogues 148, 149
- model systems to investigate fundamental forces 146–148
- molecular clips 272–274, 273–275
- molecular recognition 146–164
- next-generation  $\alpha$ -helix mimetics 153–154, 153
- outlook 159
- peptide mimicry 149–155
- prenyltransferases 151–152, 151
- protein–protein interactions 146, 151–153, 151, 159
- self-assembly of receptors binding quaternary structures 158–159, 159
- super-secondary structures 156–159
- targeting secondary structure 152–155
- terphenyls 152–153, 152
- bipyridinium bis(benzo) crown ether 41
- bipyridyl (BIPY)  
 anion recognition and sensing 44–45, 45  
 ion-pair recognition 60–61, 60  
 metalloporphyrins 292, 293  
 porosity 206–209, 207–209  
 transition metal bipyridyl-based macrocyclic receptors 44–45, 45, 60–61, 60
- bis-alkylguanidinium enzyme mimics 91
- bis(alkylnitrilo)copper(I) structures 204–205, 205
- bisamidinium dications 82, 82
- bis-calix[4]diquinone receptors 39–41, 40, 41
- bismuth texaphyrins 317–318, 318
- bis(Zn[II]-cyclen) 431, 434
- bola-amphiphiles 364, 365
- Bonar-Law, Richard 296–297
- borocryptands 74
- boronic acids 99–101, 101, 102
- boronic acid–diol macrocyclization 352–353, 353
- bovine carbonic anhydrase (BCA) 140
- bromoimidazoliophane macrocycles 57
- bromo-imidazolium threading components 56
- Bruton's tyrosine kinase (BTK) inhibitors 317
- BTEX separation 404–406, 405
- BTK *see* Bruton's tyrosine kinase
- Busch, Daryle H. 2
- butadiyne 292–294, 293, 294
- CA *see* carbonic anhydrase
- cadmium-seamed pyrogallol[4]arene complexes 332, 333
- calcium and citrate multianalyte sensing 96, 97, 97
- calix[4]arenes  
 biomimetic recognition 157, 158  
 calix[4]arene template 157, 158  
 ion-pair recognition 59–61, 60  
 molecular tectonics 74–75, 79, 80  
 supramolecular technology 380, 381
- calix[n]arenes  
 dynamic control of recognition processes 350, 351  
 ion and molecule recognition 351–352, 352  
 stereochemical studies 350, 351

- Cambridge Structural Database (CSD) 214–215, 214
- carbonic anhydrase (CA)  
 models by zinc(II)-macrocyclic polyamines 415–418  
 sulfonamide inhibition 418
- carboplatin 318
- 5-carboxyfluorescein (CF) 93, 94
- carboxylic acid binding 148–150  
 by vancomycin analogues 148, 149  
 guanidinium receptors 149–150, 150
- catenanes  
 anion recognition and sensing 46–55, 48, 49  
 [2]catenane reversible rotary molecular motor 250, 252  
 [3]catenane rotary molecular motor 250, 251  
 contractile and extensile molecular systems 445–447, 446, 458  
 donor–acceptor catenanes 297, 299, 298  
 dynamic combinatorial chemistry 299, 301, 302–303, 302  
 halogen-bonding anion recognition 56, 56  
 mechanically interlocked molecules 392–396, 393–395, 410  
 metal-directed self-assembly 64, 64  
 molecular knots 302–304, 303  
 serendipity in scientific discovery 392–396, 410  
 synthesis and development 241–243, 242
- cation channels 367–369, 367, 369
- cation recognition 39–41
- cation– $\pi$  interactions 365–366, 366, 369
- cavities 295–296, 295
- CD *see* circular dichroism; cyclodextrin
- cesium-seamed pyrogallol[4]arene nanocapsule 338, 339
- cesium-selective redox-active ionophores 39–40
- CF *see* 5-carboxyfluorescein
- charge-assisted H-bonded networks 82, 82
- charge-transfer (CT)  
 cucurbit[*n*]uril 128  
 donor–acceptor charge transfer interactions 390–400  
 halogen-binding anion recognition 58–59  
 metal-directed self-assembly 64  
*see also* metal-to-ligand charge transfer
- chelate effect 170, 182
- chemically-driven molecular information ratchets 251–254, 254, 255
- chemically induced shift (CIS) 266–267
- chemical sensing 378–379, 378, 379
- chemical shift imaging (CSI) 425–426
- chemomechanical polymers 456
- chemometric analysis 108–109
- cholestanol-containing compounds 363–364
- cholesterol functional groups 21, 22
- cholic acid-based macrocycles 296–297, 296
- chromatographic separations 404–406, 405
- cigar-like aggregates 267, 269
- cinnamoyl cyclodextrins 228–229
- circular dichroism (CD)  
 absorbance spectra 105, 107  
 adaptation to high-throughput methods 107, 108  
 alcohols 104–105, 105  
 amines 106–107, 107  
 exciton-coupled circular dichroism 102, 104–107  
 metal-to-ligand charge transfer 102–104  
 rapid analysis of enantiomeric excess 102–107
- CIS *see* chemically induced shift
- cisplatin 318
- cis*-syn-cyclobutane thymine dimer 431–433
- citrate testing 91–99  
 binding constants of receptors **92**  
 calcium and citrate multianalyte sensing 96, 97, **97**  
 dialysis 96–99, 98  
 indicator-displacement assays 92–93, 93, 99  
 receptor design 91–92  
 Scotch analysis 95  
 soda analysis 93, 94, **94**  
 wine analysis 93, 95, **95**
- c-jun N-terminal kinases (JNK) 114–117
- CO<sub>2</sub> sequestration and sensing 403–404, 403
- cobaltocenium-based redox-active ionophores 42
- cobalt-seamed resorcin[4]arene complexes 341, 341
- co-conformational switching 393, 395–396, 395
- complementary tectons 76–78, 77
- concave tectons 79
- conditional drug delivery 21, 22
- conformational folding 51, 53
- connector molecules 79, 79, 80
- contractile and extensile molecular systems 444–464  
 catenanes 445–447, 446, 458  
 chemically induced motions 448, 449  
 Cu(I)-induced double-threading process 448, 449  
 cyclodextrin-type molecular muscles 450  
 dicopper(I) rotaxane dimers 448–450, 450  
 donor–acceptor systems coupled to protonation/  
 deprotonation processes 453–455, 453–455  
 interlocking ring compounds 445–456  
 introduction 444–446  
 Izatt–Christensen Award 444–446  
 molecular figure-of-eight 446–447, 456–458, 457–460  
 muscle-like systems based on the mechanical bond 455–456  
 non-interlocking compounds 446–447, 456–458

- contractile and extensile molecular systems (*cont'd*)  
  outlook 461  
  rotaxanes 445–456, 448–455  
  skeletal muscles as linear motors 447, 448  
  transition metal-based system 447–450
- convex tectons 79
- cooperativity  
  cyclodextrin-containing polymers 222  
  dynamic control of recognition processes 356, 356, 357  
  host–guest chemistry 347–348, 353–357  
  ion-pair recognition 59–62, 60, 61  
  lock-arm supramolecular ordering 398  
  molecular clips 273–275  
  molecular recognition in biomimetic receptors 159  
  phosphate dianion recognition by zinc(II)-macrocyclic polyamines 422–424  
  second sphere coordination of CD-MOFs 407
- coordination networks 84–87  
  directional one-dimensional coordination networks 85–87, 86, 87  
  helical coordination networks 84–85, 85, 86  
  interplay between organic and metallic tectons 84
- coordination polymers 204–209
- coordination template effect 385, 385
- copper-seamed *c*-methylpyrogallol[4]arene dimer  
  coordination polymers 330, 332
- copper-seamed pyrogallol[4]arene hexamers 327–329, 328
- copper–BINAP complexes 103
- core@shell nanoparticles 55, 55
- core–shell crystals 84
- Cram, Donald J. 2, 262, 360–361
- C-reactive protein (CRP) 158–159
- crown ethers  
  chemical sensing 378–379  
  contractile and extensile molecular systems 453–455, 453–455  
  disulfide-containing/amphiphilic crown ethers 350, 350  
  donor–acceptor charge transfer interactions 390–392, 391  
  dynamic control of recognition processes 347–350  
  molecular clips 262, 267–268  
  photoresponsive/tail-biting crown ethers 348–350, 348, 349  
  serendipity in scientific discovery 390–392, 391  
  structures 347  
  supramolecular technology 377–379  
  *see also* lariat ethers
- CRP *see* C-reactive protein
- cryptands 361–362
- CSD *see* Cambridge Structural Database
- CSI *see* chemical shift imaging
- CT *see* charge-transfer
- cuboctahedron cages 434–437
- cucurbit[*n*]uril 127–145  
  applications 134–140  
  condensation of glycoluril and formaldehyde 127–128  
  cucurbit[6]uril complexes 130–131, 132, 134–136  
  cucurbit[7]uril complexes 130–133, 132, 136–140  
  discovery and isolation of CB analogues 128  
  enzymatic activity 140, 140  
  functionalization 129  
  functionalized cucurbit[*n*]uril 133–134  
  general host–guest chemistry 129–130  
  high-affinity host–guest pairs 130–133, 132, 134–140  
  host–guest chemistry 128–140  
  immobilization of biomolecules on a solid surface 137, 137  
  introduction 127–129  
  modular multi-functionalities through non-covalent modification 135, 136  
  molecular clips 262–263, 262  
  plasma membrane protein fishing 138, 138  
  pseudorotaxane formation and biological applications 134–136, 135  
  structures and physical properties 129  
  supramolecular Velcro system 138–139, 139  
  surface electrostatic potential 130
- curdlan 356, 356
- CXCR4 membrane protein 194–195
- cyanide-free gold-recovery 408–410, 409
- cyclam 165–199  
  azacyclams 187–193  
  bicyclams 194–195  
  calorimetric determination 171–172, 173  
  coordination chemistry 166–167, 193, 193  
  crystal and molecular structure 166, 167–169, 184, 186, 189–190, 189–190  
  cyclization of metal bis-ethylenediamine complexes 167  
  dansylamide as molecular padlock 190–192, 191  
  d–d absorption band 171, 171, 183–184, 184, 189, 189  
  diastereoisomerism 167–168  
  emission spectra 185  
  enthalpy of complexation 171–175, 171, 173, 174  
  half-wave potentials 177  
  high spin and low spin states 174–175, 175, 182–184, 184  
  intramolecular hydrogen bonding 167

- macrocyclic effects 170–176, 182–183  
*Mars and Venus* (Botticelli) 195  
 mechanism of electron transport 177–180, 178–180  
 nitro-*acinitro* tautomerism of 2-nitrotoluene  
 184–185, 185  
 pH dependent structural arrangements of scorpionate  
 complexes 182–183, 183  
 redox activity of encircled metal ion 176–180,  
 178–180  
 redox switches of fluorescence 190–192, 190  
 ring size selectivity 171–172, 173, 176, 177  
 scorpionands 180–187  
 spectrophotometric studies of configurational  
 conversion 186–187, 187  
 synthesis and development of azacyclams  
 187–188, 188  
 synthesis and development of cyclams 165–169  
 synthesis and development of scorpionands 180–181  
 three-phase experiment 178–180, 179–180  
 tosylamide as locking fragment 188, 188  
 cyclic polyamines 166–167  
*see also* zinc(II)-macrocyclic polyamines  
 cyclidenes 385–386, 386  
 cyclodextrin-based supramolecular systems 220–240  
 applications of CD-MOFs 402–406  
 chromatographic separations 404–406, 405  
 CO<sub>2</sub> sequestration and sensing 403–404, 403  
 complex formation of cyclodextrin with  
 polymers 223–225  
 contractile and extensible molecular systems 450  
 cooperativity of cyclodextrin-containing  
 polymers 222  
 crystal and molecular structure 400, 401  
 cyanide-free gold recovery 408–410, 409  
 cyclodextrin-containing polymers 220–223, 221  
 cyclodextrin-organometallic complexes 222–223, 222  
 electrical traps 230, 231  
 interactions with gold salts 406–410, 407–409  
 lactone polymerization 227–228, 228  
 macroscopic self-assembly 233–235, 234  
 metal–organic frameworks 390, 400–410  
 molecular machines 230–233  
 molecular recognition 220, 223–224, 230  
 molecular shuttles 230, 231  
 optical resolution by cyclodextrin 222  
 polymerization by cyclodextrins 225–228  
 polyrotaxanes 224, 225  
 preparation of cyclodextrin-containing polymers 220  
 pseudo-polyrotaxanes 223, 227, 232  
 second sphere coordination 407–408  
 self-healing 235–236, 235, 236  
 serendipity in scientific discovery 390, 400–410  
 side-chain recognition by cyclodextrins 230  
 stimuli-responsive polymers 236–237, 237  
 supramolecular polymers 228–230, 229  
 supramolecular technology 381–382  
 synthesis and development of CD-MOFs  
 401–403, 402  
 tubular polymers 224, 225  
 unidirectional threading 232–233, 232, 233  
 cyclododecamer 268  
 cyclohexane 133  
 cytotoxicity  
 cucurbit[*n*]uril 139, 139  
 texaphyrins 319–320, 319  
 D–A *see* donor–acceptor  
 daisy chain rotaxanes 453–454, 453  
 dansylamide 190–192, 191, 418–419  
 dendrimers 134–135, 135  
 dendritic hexa(ethylene)–DNA conjugates 27, 28  
 deoxyribonucleic acid *see* DNA  
 dialysis 96–99, 98  
 diamond-like framework 205–206, 206  
 dicationic bisamidinium type tectons 82, 82  
 dicopper(II) pyrazole complex 272–273, 274  
 dicopper(I) rotaxane dimers 448–450, 450–452  
 Diels–Alder reaction 295–296, 295  
 differential sensing 108–122  
 calibration curve 119  
 chemometric analysis 108–109  
 electric tongue 109, 110  
 lock and key design sensor 108  
 mitogen-activated protein kinases differentiation  
 114–117, 117–119  
 phosphopeptide classification 109–111, 112, 113  
 sensor arrays for single- and multi-analyte  
 patterns 109  
 serum albumin receptors for glycerides 112–114, 115  
 serum albumin receptors for terpenes 111, 113  
 wine analysis 120–122, 121, 122  
 dimetallic phosphomonoesterases 437–438  
 dinuclear Zn(II) phosphomonoesterase model 421–422  
 diphenylacetylenes 154, 155  
 diphenylalkyne linker 154, 155  
 diphenylglycoluril clip 262, 262  
 dip pen nanolithography (DPN) 380  
 directional one-dimensional coordination networks  
 85–87, 86, 87  
 disulfide-containing crown ethers 350, 350  
 disulfides 299–304, 301  
 dithiocarbamate (dtc) ligand 62–63, 63

- dithiothreitol (DTT) 115
- DNA cages 14–18
- biological applications 21, 22
  - metal–DNA assemblies 30, 31
  - perspective 17–18
  - simplified and DNA-minimal design 17
  - synthesis 15–18, 16, 27
- DNA nanotubes 18–22
- biological applications 21–23, 22
  - control of nanotube length and stability 18
  - perspective 21, 23
  - synthesis 18, 19
  - temporal growth of DNA assembly 19–20, 20
- DNA origami 11–13, 18–19, 23
- DNA–polymer and DNA–lipid conjugates 25–27
- dynamic behavior 25–27, 26
  - perspective 27
  - sequence-defined DNA–polymer conjugates 26, 27
  - synthesis 25, 26
  - three-dimensional scaffolds 18, 27–29, 28
- DNA supramolecular chemistry 10–37
- biological applications 21, 22
  - biomimetic receptors 158–159, 159
  - challenges 13
  - DNA cages 14–18, 16, 27
  - DNA nanotubes 18–21
  - DNA origami 11–13, 18–19, 23
  - DNA–polymer and DNA–lipid conjugates 25–27, 26, 28
  - double-stranded assembly 13, 15, 18–21, 19
  - dynamic assembly and molecular recognition 13–14, 13
  - gold nanoparticle–DNA structures 32–33, 32
  - metal–DNA assemblies 29–32, 31
  - motifs in DNA nanotechnology 10–13, 12
  - multiplex GDNA for self-assembled protein surface receptors 158–159
  - non-covalent small molecule-mediated DNA assembly 23–25, 24
  - self-assembly 10, 23–25
  - single-stranded assembly 11–13, 17, 18, 19
  - small molecule insertions 23, 24
  - strand displacement 13–14, 13
  - structural properties of DNA 10–11
  - supramolecular assembly with hybrid DNA materials 14–33
  - three-dimensional scaffolds 18, 27–29, 28
  - tile assembly 11–13, 15, 17–19
- donor–acceptor (D–A) complexes
- catenanes 297, 297, 298
  - contractile and extensile molecular systems 453–455, 453–455
  - lock-arm supramolecular ordering 398–399, 399
  - mechanically interlocked molecules 392–394
  - serendipity in scientific discovery 390–394, 391, 398–399, 399
- double-crossover (DX) junctions 11
- double-stranded assembly 13, 15, 18–21, 19
- double-stranded nucleic acid recognition 428–429
- DPN *see* dip pen nanolithography
- drug delivery
- cucurbit[*n*]uril 139
  - DNA supramolecular chemistry 21, 22
  - serendipity in scientific discovery 396–398, 397
- dtc *see* dithiocarbamate
- DTT *see* dithiothreitol
- DX *see* double-crossover
- dynamic assembly 13–14, 13
- dynamic combinatorial chemistry 298–304
- conception and principles 298–299, 300
  - disulfides 299–304, 301
  - hydrazones 299, 301
- dynamic control of recognition processes 346–359
- aggregation-induced emission 355
  - allosteric effects 353–355, 354
  - cooperative actions in polymeric and biological systems 356, 356, 357
  - crown ethers 347–350
  - disulfide-containing/amphiphilic crown ethers 350, 350
  - enthalpy–entropy compensation relationship 346–347
  - introduction 346–347
  - ion and molecule recognition of functionalized calix[*n*]arenes 351–352, 352
  - molecular design concept 347
  - molecular machines 353–355, 354
  - photoresponsive/tail-biting crown ethers 348–350, 348, 349
  - stereochemical studies of calix[*n*]arene derivatives 350, 351
  - sugar-sensing systems using boronic acid–diol macrocyclization 352–353, 353
- dynamic optical anion sensors 50, 52
- ECCD *see* exciton-coupled circular dichroism
- ECM *see* extracellular matrix
- ee *see* enantiomeric excess
- eIDA *see* enantioselective indicator-displacement assays
- electrical traps 230, 231
- electric tongue 109, 110
- electrochemical molecular recognition 38–44

- anion recognition 42–44  
 anodic shifts **41**  
 cathodic shifts **43**  
 cation recognition 39–41  
 electrochemical data **42**  
   intramolecular interaction pathways 39, 39  
 electron receiving phase (ERP) 177–179, 178–179  
 electron source phase (ESP) 177–180, 178–180  
 Eliel, Ernest 389  
 eMSC *see* engineered mesenchymal stem cells  
 enantiomeric excess (ee) 99–108  
 enantioselective allylation 104–105  
 enantioselective indicator-displacement assays  
   (eIDA) 99–102, 100–102  
 encapsulation 18, 21, 22  
*endo*-adduct 295–296, 295  
 engineered mesenchymal stem cells (eMSC) 136  
 enthalpy–entropy compensation relationship 346–347  
 entron effect 277  
 enzymatic aldol reactions 419–420  
 enzyme mimics  
   cucurbit[*n*]uril 140, 140  
   metal ion templates 385–386, 386  
 epoxidation catalysis 275, 276  
 ERK *see* extracellular signal regulated kinases  
 ERP *see* electron receiving phase  
 erythromycin 372  
*Escherichia coli* 372–373  
 ESP *see* electron source phase  
 exciton-coupled circular dichroism (ECCD) 102,  
   104–107  
*exo*-adduct 295–296, 297  
 extracellular matrix (ECM) 136  
 extracellular signal regulated kinases (ERK) 114–117  
  
 farnesyltransferases (FTase) 151–152  
 ferredoxin mimic 272  
 ferrocenes  
   anion recognition and sensing 51–55, 53, 54  
   cucurbit[*n*]uril 133, 137–138, 137  
   cyclodextrin-based supramolecular systems 235  
   electrochemical molecular recognition 39–44, 40,  
     42, 43  
   ion-pair recognition 60–61  
   pyrogallol[4]arenes 334–335, 336  
 ferroelectrics 398–399, 400  
 FET *see* field effect transistors  
 field effect transistors (FET) 378–379, 378, 379  
 flavonoids 120–121  
 Fleming, Sir Alexander 389–390, 389  
 flexible porphyrin dimers 290–292, 291, 292  
  
 fluorescence quenching  
   anion recognition and sensing 51, 53  
   azacyclams 192  
   rapid analysis of enantiomeric excess 100, 101  
   scorpionands 182–183  
 fluorescent hydraphiles 370–371, 370  
 fluorescent Zn(II) sensors 418–419  
 football structures 280  
 four photoelastic modulator (4-PEM)  
   spectropolarimeter 108  
 FTase *see* farnesyltransferases  
 fullerenes 351–352, 352  
 fumaramide templates 244  
 functional clips 268–272, 270, 271  
 functionalized cucurbit[*n*]uril 133–134  
 Fura-2 binding calcium receptor 98, 98  
  
 gadolinium texaphyrins 313–316, 313  
 gallic acid 95  
 gallium-seamed pyrogallol[4]arene complexes  
   330–332, 333  
 gene manipulation 427–429  
 gene-silencing 21, 22  
 geranylgeranyltransferases (GGTase) 151–152  
 glucose oxidase (GOx) 137  
 glutaronitrile (GLU) linkers 204–205, 205  
 glycerides 112–114, 115  
 glycoluril 127–128, 133–134  
   *see also* molecular clips  
 gold nanoparticles  
   cucurbit[*n*]uril 139, 139  
   DNA supramolecular chemistry 18, 21, 22, 32–33, 32  
   gold-recovery 408–410, 409  
   golf-ball aggregates 268, 270  
 GOx *see* glucose oxidase  
 ground-state co-conformation (GSCC) 395–396  
 guanidine coordination to Zn(II) 423–425  
 guanidinium ferrocene receptors 43, 43  
  
 HA *see* hyaluronic acid  
 halogen-bonding (XB) anion recognition 55–59  
   superiority over hydrogen bonding 57, 58, 59  
   threading components 56  
   water-soluble rotaxanes 57–59, 59  
 Hamilton, Darren 297  
 handcuff catenane 47, 49  
 H-bonded networks 79–84  
   charge-assisted H-bonded networks 82, 82  
   core-shell crystals 84  
   neutral one-dimensional H-bonded networks 81, 81  
   recognition of hexacyanometallates 83–84, 83



- HEG *see* hexa(ethylene glycol)
- helical coordination networks 84–85, 85, 86
- heteroditopic receptors 59–62, 60
- heteropolymetallic catenanes 64, 64
- hexacyanometallates 83–84, 83
- hexa(ethylene glycol) (HEG) 224, 224
- hexamethylenediamine (HMDA) 136
- high-affinity host–guest pairs 130–133, 132
- applications 134–140
  - cucurbit[6]uril complexes 130–131, 132, 134–136
  - cucurbit[7]uril complexes 130–133, 132, 136–140
  - hydrogelation through non-covalent crosslinking 135, 136
  - immobilization of biomolecules on a solid surface 137, 137
  - modular multi-functionalities through non-covalent modification 135, 136
  - plasma membrane protein fishing 138, 138
  - pseudorotaxane formation and biological applications 134–136, 135
  - supramolecular Velcro system 138–139, 139
- high-throughput screening (HTS) 99
- HIV-1 TAR RNA –TAT peptide binding 433–434
- HKUST-1 212–213
- HMDA *see* hexamethylenediamine
- Hodgkin disease 313
- Hofmann clathrates 201–204, 203, 204, 207, 208
- hole size effect 362
- holmium-seamed pyrogallol[4]arene dodecamer 335–336, 337
- hook-and-loop strategy 138–139, 139
- host–guest chemistry
- applications 134–140
  - cooperativity 347–348, 353–357
  - cucurbit[*n*]uril 128–140
  - cyclodextrin-based supramolecular systems 233–237
  - dynamic control of recognition processes 346–347
  - functionalized cucurbit[*n*]uril 133–134
  - general host–guest chemistry of cucurbit[*n*]uril 129–130
  - high-affinity host–guest pairs 130–133, 134–140
  - surface electrostatic potential 130
  - zinc(II)-macrocyclic polyamine supramolecular cages 434–437
- htMSC *see* human tubal mesenchymal stem cells
- HTS *see* high-throughput screening
- human tubal mesenchymal stem cells (htMSC) 136
- Hunter, Chris 291, 302
- hyaluronic acid (HA) 136
- hydrophiles 368–369, 369, 371–373
- hydrazones 299, 301
- hydrobenzoin 100–101, 102
- hydrocinnamoyl cyclodextrins 228–229
- hydrogels 135, 136
- hydrogen bonding
- biomimetic recognition 147, 147
  - complementarity 147
  - cyclam 167
  - H-bonded networks 79–84
  - molecular clips 278–281
  - molecular machines 242–243, 245
  - resorcin[4]arenes and pyrogallol[4]arenes 326–327
  - second sphere coordination of cyclodextrins 407–408
- IAPP *see* islet amyloid polypeptide
- IBC Advanced Technologies, Inc. 2, 6–7
- I–C *see* Izatt–Christensen Award
- IDA *see* indicator-displacement assays
- immobilization of biomolecules on a solid surface 137, 137
- inclusion networks 79
- indicator-displacement assays (IDA)
- citrate testing 92–93, 93, 99
  - rapid analysis of enantiomeric excess 99–102, 100–102
- indolocarbazole-containing rotaxane 47, 50
- inositol trisphosphate sensor 423–424
- insulin-enclosing hydrogen-bonded resorcin[4]arene nanocapsules 336, 337
- International Symposium on Macrocyclic and Supramolecular Chemistry (ISMSC) 1, 4–8, **5–6**
- intramolecular hydrogen bonding, cyclam 167
- iodo-triazolium threading components 56
- ionic dimeric cesium-seamed pyrogallol[4]arene nanocapsule 338, 339
- ion-pair recognition 59–62
- calix[4]arene derivatives 59–61, 60
  - cooperative and anti-cooperative binding 59–62, 60, 61
  - heteroditopic receptors 59–62, 60
  - ion-pair sensing 62, 62
- iridium catalysis 104–105
- iron-seamed pyrogallol[4]arene nanotubes 335, 336
- iron-seamed resorcin[4]arene complexes 338–340, 340, 341
- islet amyloid polypeptide (IAPP) 153–154
- ISMSC *see* International Symposium on Macrocyclic and Supramolecular Chemistry
- isophthalamide macrocycles 45, 47–48
- Izatt–Christensen Award (I–C Award)
- awardees 1991–2016 **3**



- conception and initiation of the International I-C Award 2
- contractile and extensile molecular systems 444–446
- early contributors to molecular recognition 1–2
- historical development 1–9
- IBC Advanced Technologies, Inc. 2, 6–7
- International Symposium on Macrocyclic and Supramolecular Chemistry 1, 4–8, **5–6**
- JNK *see* c-jun N-terminal kinases
- kanamycin 372
- Keats, John 251, 282
- key-and-lock complexes 129
- kinetic macrocyclic effect 175–176
- koilands 79, 79, 80
- lactone polymerization 227–228, 228
- lacunar ligands 385–386
- Lam, Ruby 299
- lanthanide-[2]rotaxanes 66, 67
- lanthanide shift reagents 288–289
- lariat ethers 360–376
  - binding constants 362, 363
  - cation- $\pi$  interactions 365–366, 366, 369
  - conceptual development 361–362, 362
  - conductance traces 369
  - hydraphiles 368–369, 369, 371–373
  - introduction 360–361
  - membrane-active amphiphiles 371–373, 371, 372
  - membrane formation 363–364, 364, 365
  - solid state structures of K–I complexes 367
  - synthetic anion channels 370–371, 370
  - synthetic cation channels 367–369, 367, 369
  - transport agents 361–362
- LASO *see* lock-arm supramolecular ordering
- Lavoisier, Antoine 251
- LDA *see* linear discriminant analysis
- Lehn, Jean-Marie 2, 262, 360
- lentinan 356, 356
- leucine zipper 156, 157
- light-switchable fluorescent shuttles 246–247, 246
- linear discriminant analysis (LDA) 111–122, 113, 115, 117, 119, 121, 122
- lipid bilayers 21, 22
- liquid-crystalline phases 271–272, 271
- liquid membranes 379–380, 380
- lock-arm supramolecular ordering (LASO) 390, 398–399, 399, 400
- luminescent lanthanide complexes 48–50, 51, 52
- lutetium texaphyrins 313–316, 313
- macrocyclic CO<sub>2</sub> receptor 241–242
- macrocyclic effect 170–176
  - kinetic 176
  - thermodynamic 170
- macromolecular recognition 223–224
- macroscopic self-assembly 233–235, 234
- macroscopic transport 247–249, 248
- magnetic beads device 426–427
- magnetic resonance imaging (MRI) 314–316, 315
- malate 93, 95, **95**
- manganese-seamed resorcin[4]arene complexes 341
- MAPK *see* mitogen-activated protein kinases
- Marcus inversion 289
- Mars and Venus* (Botticelli) 195
- Mauveine 389
- maximum tolerated dose (MTD) 320
- mechanically interlocked molecules (MIM)
  - drug delivery systems 396–398, 397
  - molecular electronic devices 396, 397
  - molecular switches 394–396, 395
  - serendipity in scientific discovery 390, 392–398
- Me<sub>4</sub>cyclam metal complexes 193
- MED *see* molecular electronic devices
- membrane-active amphiphiles 371–373, 371, 372
- membrane formation 363–364, 364, 365
- membrane transport 177–180, 179, 379–380, 380
- mesoporous silica nanoparticles (MSNP) 135–136, 396–398, 397
- metal-directed self-assembly 62–67
  - dinuclear macrocyclic and bimacrocyclic complexes 63, 63
  - heteropolymetallic catenanes 64, 64
  - lanthanide-[2]rotaxanes 66, 67
  - mixed valence catenanes 64, 64
  - nano-sized resorcinarene-based assemblies 65, 66–67
  - polyether-containing cryptands 63–64, 63
- metal–DNA assemblies 29–32
  - incorporation strategy 29, 31
  - nanostructures 30, 31
  - perspective 30, 32
- metal-ion responsive system 237, 239
- metal ion templates 383–387
  - first planned macrocycles 384–385, 385
  - introduction 383–384
  - macrocycle synthesis 384–386
  - multiple juxtapositional fixedness 385, 386
  - oxygen carriers and enzyme mimics 385–386, 386
  - theoretical considerations 385

- metalloporphyrins 289–296  
Anderson butadiyne system 292–294, 293, 294  
flexible porphyrin dimers 290–292, 291, 292  
model photosynthetic systems 289–290, 290  
 $\pi$ - $\pi$  interactions and model enzymes 290–292, 291, 292
- metal–organic compounds  
coordination polymers 204–209  
Hofmann clathrates 201–204, 203, 204, 207, 208  
porosity 200–219  
Werner complexes 200, 201, 202, 203  
*see also* metal–organic frameworks
- metal–organic frameworks (MOF)  
applications of CD-MOFs 402–406  
Cambridge Structural Database 214–215, 214  
chromatographic separations 404–406, 405  
CO<sub>2</sub> sequestration and sensing 403–404, 403  
cyclodextrins 390, 400–410  
discovery of MOF-5 211–213, 212, 213  
early synthesis and development 209–211  
gas adsorption studies 210, 211, 213  
molecular and crystal structure 210  
porosity 200, 207, 208, 209–215  
secondary building units 210–212  
serendipity in scientific discovery 390, 400–406  
synthesis and development of CD-MOFs 401–403, 402
- metal template synthesis of 14-membered macrocycles 169, 187
- metal-to-ligand charge transfer (MLCT)  
anion recognition and sensing 48  
ion-pair recognition 61  
nano-sized resorcinarene-based assemblies 65, 66–67  
rapid analysis of enantiomeric excess 102–104
- meta-stable co-conformation (MSCC) 395–396
- metastatic brain tumors 314–316
- 4-methylesculetin 100
- MGd *see* motexafin gadolinium
- MIC *see* minimum inhibitory concentrations
- micro contact printing 380
- Miller, Dr Richard A. 313
- MIM *see* mechanically interlocked molecules
- minimalist vancomycin analogues 148, 149
- minimum inhibitory concentrations (MIC) 372–373, 372
- mitogen-activated protein kinases (MAPK) 114–117, 117–119
- mixed valence catenanes 64, 64
- MJF *see* multiple juxtapositional fixedness
- MLCT *see* metal-to-ligand charge transfer
- MLP *see* multi-layer perceptron
- MLu *see* motexafin lutetium
- model enzymes 290–292, 291, 292
- MOF *see* metal-organic frameworks
- molecular capsules 278–281, 279–281
- molecular clips  
binding properties 265–266  
biomimetic systems 272–274, 273–275  
cigar-like aggregates 267, 269  
cooperativity 273–275  
functional clips 268–272, 270, 271  
golf-ball aggregates 268, 270  
introduction 261  
liquid-crystalline phases 271–272, 271  
molecular capsules 278–281, 279–281  
molecular Turing machine 278, 279  
outlook 282  
processive catalysis by porphyrin clips 274–278, 276, 277, 279  
razor-blade aggregates 267, 269  
selective dimerization 266–267, 268  
self-assembly 262–263, 266–268, 279–281, 279–281  
synthesis and development 262–263
- molecular doughnut 280
- molecular electronic devices (MED) 396, 397
- molecular figure-of-eight 446–447, 456–458, 457–460
- molecular hinge 148, 152
- molecular information ratchets 250–254, 253–255
- molecular knots 302–304, 303
- molecular machines 241–260  
[2]catenane reversible rotary molecular motor 250, 252  
[3]catenane rotary molecular motor 250, 251  
catenane synthesis and development 241–243, 242  
concepts and definitions 241  
contractile and extensile molecular systems 444–464  
cyclodextrin-based supramolecular systems 230–233  
dynamic control of recognition processes 353–355, 354  
macrocyclic CO<sub>2</sub> receptor 241–242  
molecular information ratchets 250–254, 253–255  
molecular motor/ratchet mechanism synthesis and development 248–250  
molecular peptide synthesizer 257, 258  
molecular shuttle synthesis and development 243–244, 244  
molecular switch synthesis and development 244–245, 245  
molecular walkers 254, 256, 257  
outlook 257–259  
photoresponsive surfaces and macroscopic transport 247–249, 248

- property effects using molecular shuttles 245–248, 246
- rotaxane synthesis and development 242–243, 243
- switchable fluorescent shuttles 246–247, 246, 247
- molecular motors
  - [2]catenane reversible rotary molecular motor 250, 252
  - [3]catenane rotary molecular motor 250, 251
  - molecular information ratchets 250–254, 253–255
  - molecular walkers 254, 256, 257
  - synthesis and development 248–250
- molecular muscles *see* contractile and extensile molecular systems
- molecular peptide synthesizer 257, 258
- molecular recognition 38–72
  - anion recognition and sensing by macrocyclic and interlocked hosts 44–55
  - biomimetic receptors 146–164
  - cholic acid-based macrocycles 296–297, 296
  - cyclodextrin-based supramolecular systems 220, 223–224, 230
  - DNA supramolecular chemistry 13–14
  - dynamic control of recognition processes 346–347
  - electrochemical molecular recognition 38–44
  - halogen-bonding anion recognition 55–59
  - in aqueous media by zinc(II)-macrocyclic polyamines 415, 427–429
  - ion-pair recognition 59–62
  - Izatt–Christensen Award 7
  - macromolecular recognition 223–224
  - macroscopic self-assembly 233–235, 234
  - metal-directed self-assembly 62–67
  - molecular clips 267
  - self-healing 235–236, 235, 236
  - side-chain recognition 230
- Molecular Recognition Technology 7
- molecular shuttles
  - anion recognition and sensing 50, 52
  - cyclodextrin-based supramolecular systems 230, 231
  - halogen-bonding anion recognition 57, 58
  - molecular switch synthesis and development 244–245, 245
  - photoresponsive surfaces and macroscopic transport 247–249, 248
  - property effects 245–248, 246
  - switchable fluorescent shuttles 246–247, 246, 247
  - synthesis and development 243–244, 244
- molecular switches
  - co-conformational switching 395–396, 395
  - contractile and extensile molecular systems 444–464
  - molecular motor/ratchet mechanism synthesis and development 248–250
  - photoresponsive surfaces and macroscopic transport 247–249, 248
  - serendipity in scientific discovery 394–396
  - switchable fluorescent shuttles 246–247, 246, 247
  - synthesis and development 244–245, 245
- molecular switch tunnel junctions (MSTJ) 396
- molecular tectonics 73–91
  - borocryptands 74
  - charge-assisted H-bonded networks 82, 82
  - concave and convex tectons 79
  - coordination networks 84–87
  - core–shell crystals 84
  - directional one-dimensional coordination networks 85–87, 86, 87
  - H-bonded networks 79–84
  - helical coordination networks 84–85, 85, 86
  - inclusion networks 79
  - interplay between organic and metallic tectons 84
  - introduction 73–75
  - koilands and connector molecules 79, 79, 80
  - levels of organization and complexity 75, 76
  - molecular turnstiles 75
  - neutral one-dimensional H-bonded networks 81, 81
  - nucleotide hydrolysis 74
  - one- and two-dimensional networks 76–78, 77
  - organocatalysis 74
  - porphyrins 74–75
  - recognition of hexacyanometallates 83–84, 83
  - self-assembly 75–78
  - self-complementary and complementary tectons 76–78, 77
  - summary and outlook 87
  - supramolecular toolbox of reversible intermolecular interactions 78, 78
  - tectons and networks 75–87
  - thiacalix[4]arene-based nanoclusters 74–75
- molecular tubes 224, 225
- molecular Turing machine 278, 279
- molecular turnstiles 75
- molecular walkers 254, 256, 257
- motexafin gadolinium (MGd) 313–316, 313, 315
- motexafin lutetium (MLu) 313–316, 313
- Mozobil™ 194
- MRI *see* magnetic resonance imaging
- MRT *see* Molecular Recognition Technology
- MSCC *see* meta-stable co-conformation
- MSNP *see* mesoporous silica nanoparticles
- MSTJ *see* molecular switch tunnel junctions
- MTD *see* maximum tolerated dose
- multi-layer perceptron (MLP) artificial neural networks 96, 97, 97

- multiple juxtapositional fixedness (MJF) 385, 386  
multipodal binding 157, 158  
multivalent receptors 157–159, 158
- Na<sup>+</sup>-sensors 351–352, 352  
nanocapsules 325–345  
nanofabrication 380–382  
nano-sized resorcinarene-based assemblies 65, 66–67  
nanotubes 335, 335, 336  
nanovalves 135  
naphthalene clips 265, 265  
naphthalene-derived [3]rotaxane 51, 53  
naphthalenediimide (NDI) 302–304, 302, 303  
neutral one-dimensional H-bonded networks 81, 81  
nickel-seamed pyrogallol[4]arene dimers and hexamers 333–334, 334  
nitro-*ac*initro tautomerism 184–185, 185  
NLO *see* nonlinear optical  
NMR *see* nuclear magnetic resonance  
non-covalent small molecule-mediated DNA assembly 23–25, 24  
nonlinear optical (NLO) materials 380, 381  
non-small cell lung cancer (NSCLC) 316, 318  
nuclear magnetic resonance (NMR)  
    <sup>11</sup>B NMR sensing of zinc(II) using macrocyclic polyamines 425–426  
    lanthanide shift reagents 288–289  
    metalloporphyrins 290–291, 291, 292  
nuclease degradation 21  
nucleotide hydrolysis 74
- octahedral cage 15  
oligocholate porphyrins 296–297, 296  
oligoethylene glycol spacers 84–85, 85  
open metal sites (OMS) 210–211  
organocatalysis 74  
osmium (II) bipyridyl-based macrocyclic receptors 44–45, 45  
Otto, Sijbren 299  
oxaliplatin 318  
oxaliTEX 319–320, 319, 321  
oxygen carriers 385–386, 386  
*o*-xylylene clip 267, 268
- p38 114–117  
paddlewheel secondary building units 210–211  
PAGE *see* polyacrylamide gel electrophoresis  
paraquat 277, 277  
pattern-based protein detection 157  
PC *see* phosphorylcholine  
PCR *see* polymerase chain reaction  
PDT *see* photodynamic therapy  
Pedersen, Charles J. 1, 262, 360, 390  
PEG-PS *see* poly-(ethylene glycol)-polystyrene  
PEG–DNA conjugates 27, 28  
4-PEM *see* four photoelastic modulator  
Pengo, Paulo 302  
penta-aza macrocycles *see* azacyclams; scorpionands  
peptide-based molecular shuttles 244  
peptide-based synthetic ion channels 370–371, 371  
peptide mimicry  
    β-sheet templation 154, 155  
    β-strand mimicry 154, 155  
    biomimetic recognition 149–155  
    carboxylic acid binding 149–150, 150  
    next-generation α-helix mimetics 153–154, 153  
    prenyltransferases 151–152, 151  
    targeting secondary structure 152–155  
    terphenyls 152–153, 152  
peptide phosphorylation/dephosphorylation 109–111, 112, 116–117, 117, 422–423  
Perkin, Sir William 389  
perrhenate extraction 62  
pertechnetate extraction 61–62, 62  
Pharmacyclics, Inc. 311–313, 316–317  
1,10-phenanthroline ligands 448, 449  
phenylboronic acid-pendant cyclen 425–426  
phenyllactic acid 101  
phosphate dianion recognition 422–424  
phosphodiester linkages 15  
phospholipids 367–368  
phosphomono-, di-, and triesters 421  
phosphopeptide classification 109–111, 112, 113  
phosphoramidate 74  
phosphoramidite 14–15, 16  
phosphorylcholine (PC) 158–159  
phosphoryl-transfer mechanism 421  
Phos-tag 422–423  
photo[2+2]cycloaddition 431–433  
photodimerization 431  
photodynamic therapy (PDT) photosensitizers 310, 314–316, 315  
photoresponsive crown ethers 348–350, 348, 349  
photoresponsive polymers 236, 237  
photoresponsive surfaces 247–249, 248  
photosplitting 431–433  
photosynthesis 289–290, 290  
photosynthetic reaction centers 272  
pH-switchable coordination rotaxane polymer 454–455, 455  
π–π stacking 147–148, 148  
plasma membrane proteins (PMP) 138, 138

- platinum texaphyrin-conjugates 318–321, 321
- PMP *see* plasma membrane proteins
- polarity-switchable fluorescent shuttles 247, 247
- polyacrylamide gel electrophoresis (PAGE) 430–431
- polyamines 166–167  
*see also* zinc(II)-macrocyclic polyamines
- polyazamacrocyclic ferrocene receptors 43, 43
- polyether-containing cryptands 63–64, 63
- poly-(ethylene glycol)-polystyrene (PEG-PS) resin beads 109, 110
- polyhydroxyethyl methacrylate (polyHEMA) 378–379
- polymerase chain reaction (PCR) 430–431
- polymer films 456
- polymer–polymer interactions (PPI) 356, 356, 357
- polyrotaxanes 128, 224, 225
- poly(valerolactone) (PVL) 225–226
- pore-former macrocycles 368, 369
- porosity  
 coordination polymers 204–209  
 Hofmann clathrates 201–204, 203, 204, 207, 208  
 metal–organic compounds 200–219  
 metal–organic frameworks 200, 207, 208, 209–215  
 Werner complexes 200, 201, 202, 203
- porphyrins  
 Anderson butadiyne system 292–294, 293, 294  
 biomimetic recognition 157, 158  
 cholic acid-based macrocycles 296–297, 296  
 flexible porphyrin dimers 290–292, 291, 292  
 metalloporphyrins 289–296  
 model photosynthetic systems 289–290, 290  
 molecular clips 271–272, 273, 274–278, 276, 277, 279  
 molecular tectonics 74–75  
 photodynamic therapy photosensitizers 310  
 $\pi$ – $\pi$  interactions and model enzymes 290–292, 291, 292  
 porosity 206, 207  
 porphyrin template 157, 158
- PPI *see* polymer–polymer interactions; protein–protein interactions
- prenyltransferase (PTase) inhibitors 151–152, 151
- prismatic cages 15–17, 16
- processive catalysis 274–278, 276, 277, 279
- protein phosphorylation analysis 422–423
- protein phosphorylation/dephosphorylation 109–111, 112, 116–117, 117
- protein–protein interactions (PPI)  
 $\alpha$ -helix mimetics 152–155  
 Bcl-x<sub>L</sub>/Bak 153  
 IAPP 153–154  
 molecular recognition in biomimetic receptors 146, 151–159  
 p53/hDM2 153, 154  
 prenyltransferases 151–152  
 super-secondary structures 156–159
- protonation/deprotonation processes 453–455, 453–455
- pseudo-polyrotaxanes 223, 227, 232
- pseudorotaxanes  
 anion recognition and sensing 45–46, 46, 50, 54  
 contractile and extensile molecular systems 448, 450, 451  
 cucurbit[*n*]uril 134–136, 135  
 donor–acceptor charge transfer interactions 392  
 halogen-bonding anion recognition 56, 56  
 mechanically interlocked molecules 406–407  
 serendipity in scientific discovery 392, 406–407
- PTase *see* prenyltransferases
- PVL *see* poly(valerolactone)
- pyridyl-urea oligomers 154, 155
- pyrocatechol violet 100
- pyrogallol[4]arenes  
 cadmium-seamed complexes 332, 333  
 copper-seamed *c*-methylpyrogallol[4]arene dimer coordination polymers 330, 332  
 copper-seamed hexamers 327–329, 328  
 ferrocene-containing complexes 334–335, 335  
 gallium-seamed complexes 330–332, 333  
 holmium-seamed dodecamer 335–336, 337  
 introduction 325  
 ionic dimeric cesium-seamed nanocapsule 338, 339  
 iron-seamed nanotubes 335, 336  
 macrocyclic coordination chemistry 325–345  
 metal-seamed complexes 327–338, 341–342  
 nickel-seamed dimers and hexamers 333–334, 334  
 structure 327  
 synthesis and development 326–327  
 zinc-seamed dimers 329–330, 329  
 zinc-seamed pyrogallol[3]resorcin[1]arene dimer 338, 338  
 zinc-seamed tethering complexes 330, 331
- quaternary diammonium ions 133
- radiotherapy 317–318
- rapid analysis of enantiomeric excess 99–108  
 alcohols 104–105, 105  
 amines 106–107, 107  
 amino acids 101, 102  
 boronic acids 99–101, 101, 102  
 calibration curve 119  
 chemometric analysis 108–109  
 circular dichroism 102–107  
 differential sensing 108–122

- rapid analysis of enantiomeric excess (*cont'd*)  
 electric tongue 109, 110  
 enantioselective indicator-displacement assays  
 99–102, 100–102  
 exciton-coupled circular dichroism 102, 104–107  
 four photoelastic modulator spectropolarimeter 108  
 lock and key design sensor 108  
 metal-to-ligand charge transfer 102–104  
 mitogen-activated protein kinases differentiation  
 114–117, 117–119  
 phosphopeptide classification 109–111, 112, 113  
 sensor arrays for single- and multi-analyte  
 patterns 109  
 serum albumin receptors for glycerides 112–114, 115  
 serum albumin receptors for terpenes 111, 113  
 wine analysis 120–122, 121, 122
- ratchet mechanisms  
 [2]catenane reversible rotary molecular motor  
 250, 252  
 [3]catenane rotary molecular motor 250, 251  
 molecular information ratchets 250–254, 253–255  
 molecular walkers 254, 256, 257  
 synthesis and development 248–250
- razor-blade aggregates 267, 269
- RCA *see* rolling circle amplification
- RCM *see* ring-closing metathesis
- rectangular nanotubes 18
- redox responsive gel 236–237
- redox switches of fluorescence (RSF) 190–192, 190
- resorcin[4]arenes  
 insulin-enclosing hydrogen-bonded nanocapsules  
 336, 337  
 introduction 325  
 macrocyclic coordination chemistry 325–345  
 manganese and cobalt-seamed complexes 341, 341  
 metal-seamed complexes 336–342  
 structure 327  
 synthesis and development 326–327  
 zinc-seamed pyrogallol[3]resorcin[1]arene dimer  
 338, 338  
 zirconium, silver, and iron-seamed complexes  
 338–340, 340, 341
- resorcinarene-based assemblies 65, 66–67
- resorcinarene derivatives 280–281, 281
- resorcinol 273–274, 275
- rhodium(I) bipyridyl-functionalized macrocycle  
 receptors 50, 52, 61
- rhodium porphyrins 294
- rifampicin 372
- ring-closing metathesis (RCM) 46, 47
- ring-opening metathesis polymerization (ROMP) 27
- Roberts, Sarah 299
- rolling circle amplification (RCA) 18
- ROMP *see* ring-opening metathesis polymerization
- rotaxanes  
 anion recognition and sensing 46–55, 47, 48, 50,  
 51, 53  
 contractile and extensile molecular systems 445–456,  
 448–455  
 cucurbit[*n*]uril 128, 134–135, 135  
 halogen-bonding anion recognition 56–59, 56, 58, 59  
 ion-pair recognition 61, 61  
 metal-directed self-assembly 66, 67  
 molecular information ratchets 251–254, 254, 255  
 molecular shuttle synthesis and development  
 243–244, 244  
 molecular switch synthesis and development  
 244–245, 245  
 photoresponsive surfaces and macroscopic  
 transport 247–249, 248  
 property effects using molecular shuttles  
 245–248, 246  
 serendipity in scientific discovery 392–398, 410  
 switchable fluorescent shuttles 246–247, 246, 247  
 synthesis and development 242–243, 244
- RSF *see* redox switches of fluorescence
- rubidium-selective redox-active ionophores 39–40
- ruthenium clips 269–271, 270
- ruthenium (II) bipyridyl-based macrocyclic receptors  
 44–45, 45, 61
- Saccharomyces cerevisiae* 372
- salt-solubilization 62, 62
- SAM *see* self-assembled monolayers
- SAT *see* synthetic anion transporters
- Sauvage, Jean-Pierre 444–446
- scanning electron microscopy (SEM) 110
- schizophyllan (SPG) 356, 357
- scorpionands 180–187  
 crystal and molecular structure 184, 186  
 d–d absorption band 183–184, 184  
 emission spectra 185  
 high spin and low spin states 182–184, 184  
 macrocyclic effects 182–183  
 nitro-*ac*initro tautomerism of 2-nitrotoluene  
 184–185, 185  
 pH dependent equilibrium 181  
 spectrophotometric studies of configurational  
 conversion in nitrophenyl-cyclam complexes  
 186–187, 187  
 structural arrangements of metal scorpionate  
 complexes 182–183, 183



- Scotch analysis 95
- secondary building units (SBU) 210–212
- self-assembled monolayers (SAM)
- anion recognition and sensing 53–55
  - cucurbit[n]uril 137, 137
  - electrochemical molecular recognition 43–44, 44
  - supramolecular technology 380–382
- self-assembly 158–159
- binding quaternary structures 158–159, 159
  - cucurbit[n]uril 128
  - cyclodextrin-based supramolecular systems 233–235, 234
  - DNA supramolecular chemistry 10, 23–25
  - metal-directed self-assembly 62–67
  - molecular clips 262–263, 266–268, 279–281, 279–281
  - molecular tectonics 75–78
  - resorcin[4]arenes and pyrogallol[4]arenes 325
- self-complementary tectons 76–78, 77
- self-healing 235–236, 235, 236
- SEM *see* scanning electron microscopy
- sequence-defined DNA–polymer conjugates 26, 27
- sequential injection analysis (SIA) 98, 98
- serendipity in scientific discovery 388–414
- chromatographic separations using CD-MOFs 404–406, 405
  - CO<sub>2</sub> sequestration and sensing 403–404, 403
  - concepts and definitions 388–390
  - cyanide-free gold-recovery 408–410, 409
  - cyclodextrins 390, 400–410, 401–403, 405, 407–409
  - donor–acceptor charge transfer interactions 390–394, 391, 398–399, 399
  - drug delivery systems 396–398, 397
  - emergent ferroelectric properties 398–399, 400
  - interactions of cyclodextrins with gold salts 406–410, 407–409
  - lock-arm supramolecular ordering 390, 398–399, 399, 400
  - mechanically interlocked molecules 390, 392–398
  - metal–organic frameworks 390, 400–406, 402, 403, 405
  - molecular electronic devices 396, 397
  - molecular switches 394–396, 395
  - outlook 410–411
  - second sphere coordination of cyclodextrins 407–408
- serum albumin receptors
- glycerides 112–114, 115
  - terpenes 111, 113
- SIA *see* sequential injection analysis
- side-chain recognition 230
- sildenafil 390
- silver-seamed resorcin[4]arene complexes 338–340, 340, 341
- single net 206, 207
- single nucleotide polymorphisms (SNP) detection 430–431
- single-stranded assembly 11–13, 17, 18, 19
- single-stranded helical coordination networks 85, 86
- small molecule insertions 23, 24
- SNP *see* single nucleotide polymorphisms
- soda analysis 93, 94, 94
- softball structures 279–280, 280
- solution phase anion sensors 52–53, 54
- SOX *see* sulfonamide-oxine
- spectral bioimaging 315
- spermine-conjugated dextran polymer 135
- SPG *see* schizophyllan
- square grid net 206–207, 208
- step-growth polymerization 18
- stimuli-responsive polymers 236–237, 237
- strand displacement 13–14, 13
- s*-tripyridyltriazine (TPT) 292, 293
- sugar-sensing systems 352–353, 353
- sulfonamide inhibition 418
- sulfonamide-oxine (SOX) fluorophore 115, 117, 118
- super-secondary structures 156–159
- $\alpha$ -helix bundles 156, 157
  - benzamide 156, 157
  - $\beta$ -meander 156, 156
  - $\beta$ -sheets 156, 156
  - binding multiple sites through multivalent receptors 157, 158
  - self-assembly of receptors binding quaternary structures 158–159, 159
- supramolecular analytical chemistry 90–126
- citrate testing 91–99
  - introduction 90
  - rapid analysis of enantiomeric excess 99–108
- supramolecular polymers 228–230, 229
- supramolecular technology 377–382
- chemical sensing 378–379, 378, 379
  - introduction 377–378
  - membrane transport 379–380, 380
  - nanofabrication 380–382
  - nonlinear optical materials 380, 381
- supramolecular Velcro system 138–139, 139
- surface-sensing amplification 43–44
- swinging catenane 446, 447
- synthetic anion channels 370–371, 370
- synthetic anion transporters (SAT) 370–371, 370
- synthetic cation channels 367–369, 367, 369



- tail-biting crown ethers 348–350, 348, 349  
TAR–TAT peptide binding inhibition 433–434  
tartrate 93, 95, 95  
TATA box DNA recognition 430  
tbo *see* twisted boracite  
TCP *see* tetracyano-functionalized porphyrin  
TCTPM *see* tetracyanotetraphenylmethane  
templated assembly  
  anion recognition and sensing 46, 46, 47  
   $\beta$  sheet templation 154–155  
  biomimetic receptors 154, 155  
  cyclam 167–168, 169  
  diphenylalkynes 154, 155  
  DNA supramolecular chemistry 32  
  dynamic combinatorial chemistry 299, 301  
  halogen-bonding anion recognition 56, 56  
  mechanically interlocked molecules 393, 393  
  metal-directed self-assembly 67  
  metal ion templates 383–387  
  metalloporphyrins 292–293, 294  
  molecular machines 241–244, 244  
tennis ball structures 279, 279, 280  
terpenes 111, 113  
terphenyls 152–154, 152, 153  
tethering complexes 330, 331  
tetra-aza macrocycles *see* cyclam  
tetracyano-functionalized porphyrin (TCP) linker  
  206, 207  
tetracyanotetraphenylmethane (TCTPM) 205  
tetracycline 372  
tetrahedral cage 15  
tetrakis(triphenylphosphite)rhodium(I) hydride  
  metallohost 273, 275  
tetrakis(Zn[II]-cyclen) 437  
tetrapyrrolyl-functionalized porphyrin (TPP)  
  network 206, 207  
tetrapyrrolylporphyrin 292–293, 293  
texaphyrins 309–324  
  changes in direction at Pharmacyclics, Inc. 316–317  
  clinical studies at Pharmacyclics, Inc. 316  
  current research efforts 317–318  
  early biological studies 314–316, 315  
  introduction 309–311  
  lanthanide series 312  
  photodynamic therapy photosensitizers 314–316, 315  
  platinum conjugates 318–321, 321  
  radiotherapy and radiodiagnosics 317–318  
  starting Pharmacyclics, Inc. 311–313  
  synthesis and development 309–311, 310  
thermodynamic macrocyclic effect 170  
thiacalix[4]arene-based nanoclusters 74–75  
Thio-tag MG bead 426–427  
three-dimensional (3D) scaffolds  
  DNA supramolecular chemistry 18, 27–29, 28  
  perspective 29  
  synthesis 27–29, 28  
  terphenyls 152–154, 152, 153  
thymidylthymidine recognition 431  
thymidylthymidylthymidine recognition 431  
thymine-binding molecular hinge 148, 148  
thymine recognition 427–430  
tile assembly  
  DNA origami 11–13, 18–19  
  DNA supramolecular chemistry 11–13, 17–19  
  single-stranded tile assembly 11–13, 17–18, 19  
tin porphyrins 294  
tosylamide 188, 188  
TPP *see* tetrapyrrolyl-functionalized porphyrin  
TPT *see* s-tripyrrolyltriazone  
transition metal bipyridyl-based macrocyclic receptors  
  anion recognition and sensing 44–45, 45  
  ion-pair recognition 60–61, 60  
transport agents 361–362  
triangular nanotubes 18  
triangular prism 15, 16  
triazine conjugate acceptor 116  
triazole-containing macrocycles 61, 61  
trigonal prisms 437  
triple-stranded helical coordination networks 85, 86  
s-tripyrrolyltriazone (TPT) 292, 293  
tris-alkylguanidiniums 91–92  
tris(macrocycle) pore-formers 368, 369  
tris(Zn[II]-cyclen) 431, 434, 437  
truncated octahedron 15  
tubular polymers 224, 225  
twisted boracite (tbo) network 212–213, 213  
two-fold interpenetrated framework 206, 207  
  
unidirectional threading 232–233, 232, 233  
uracil recognition 427–429  
  
valinomycin 361–362  
vancomycin analogues 148, 149  
vascular endothelial growth factor (VEGF) 136  
vicinal diamines 103  
vodka analysis 96–99, 98  
  
Walter, Chris 295–296  
water-soluble clips 267, 268  
water-soluble halogen-bonding rotaxanes 57–59, 59  
WBRT *see* whole-brain radiation therapy  
Werner complexes 200, 201, 202, 203

- whole-brain radiation therapy (WBRT) 316
- Williams, David 394
- Williams, Dudley 288–289
- wine analysis
  - citrate testing 93, 95, **95**
  - differential sensing 120–122, 121, 123
- XB *see* halogen-bonding
- xlenol orange (XO) 96
- xylylbicyclam 194–195
- o*-xylylene clip 267, 268
  
- zinc-dipicolylamine chemosensor 115
- zinc enzyme models 415–417
- zinc(II)-macrocyclic polyamines 415–443
  - aldolase model to aldol synthesis catalyst 419–420
  - AT-rich TATA box DNA recognition 430
  - carbonic anhydrase-mimicking anion affinity 417–418
  - concepts and definitions 415
  - cooperative phosphate dianion recognition by Zn(II)-cyclen crowds 422–424
  - dinuclear Zn(II) phosphomonoesterase model 421–422
  - double-stranded nucleic acid recognition 428–429
  - gene manipulation 427–428
  - guanidine as a Zn(II)-binding ligand at neutral pH 423–425
  - HIV-1 TAR RNA –TAT peptide binding 433–434
  - magnetic beads device for thiol-containing biomolecule purification 426–427
  - native DNA binding sites 429–430
  - new Zn(II) fluorophores and apoptosis sensors 418–419
  - NMR sensing of Zn(II) ion using phenylboronic acid-pendant cyclen 425–426
  - Phos-tag for protein phosphorylation analysis 422–423
  - photo[2+2]cycloaddition inhibition 431–433
  - photosplitting of *cis*-syn-cyclobutane thymine dimer 431–433
  - polyacrylamide gel electrophoresis 430–431
  - reaction with phosphomono-, di-, and triesters 421
  - single nucleotide polymorphisms 430–431
  - sulfonamide inhibition 418
  - supramolecular assemblies with Zn(II)-cyclen 434–435
  - supramolecular catalysts mimicking dimetallic phosphomonoesterases 437–438
  - supramolecular cuboctahedron cages 434–437
  - supramolecular trigonal prisms 437
  - thymidylthymidine and thymidylthymidylthymidine recognition 431
  - thymine recognition 427–430
  - uracil recognition 427–429
  - zinc enzyme models 415–417
- zinc porphyrins 291, 293, 294
- zinc-seamed pyrogallol[3]resorcin[1]arene dimer 338, 338
- zinc-seamed pyrogallol[4]arene dimers 329–330, 329
- zinc-seamed pyrogallol[4]arene tethering complexes 330, 331
- zinquin 418
- zirconium-seamed resorcin[4]arene complexes 338–340, 340